



Written by [R. Cort Kirkwood](#) on January 10, 2022

CDC: China Virus Can Kill The Vaxxed If They Suffer Serious Comorbidities

The Centers for Disease Control has finally admitted what everyone else has known for two years. When the China Virus kills, it mostly kills the old, the obese, and the sick.

And that statement holds true even when those demographic groups are vaccinated.

CDC Director Rochelle Walensky confessed the truth on Friday's edition of *Good Morning America*, and the agency released a report with the detailed data.



CarmenMurillo/iStock/Getty Images Plus

Biden's CDC Director: "The overwhelming number of death, over 75%, occurred in people who had at least four comorbidities."

pic.twitter.com/HUdd323sPG

— RNC Research
(@RNCResearch) [January 10, 2022](#)

The Data

Appearing on GMA, Walensky said "the overwhelming number of deaths, over 75 per cent, occurred in people who had at least four comorbidities."

The usual suspects [turned that statement](#) into an attack on the chronically ill. That aside, Walensky was hardly divulging something most didn't know. Presumably, now that CDC has fessed up about those for whom the virus is a real danger, we can believe our lying eyes.

The key takeaway is that for people afflicted with multiple serious diseases or health conditions, the vaccines might not work. Here's what Walensky didn't say: The more than 75 percent who suffered at least four comorbidities *were vaccinated*.

In a study of 1.23 million people from December 2020 through October last year, "had a severe outcome, including 36 who died," [CDC reported](#):

Risk for severe outcomes was higher among persons who were aged ≥ 65 years, were immunosuppressed, or had at least one of six other underlying conditions. All persons with severe outcomes had at least one of these risk factors, and 77.8% of those who died had four or more risk factors. Severe COVID-19 outcomes after primary vaccination are rare; however, vaccinated persons who are aged ≥ 65 years, are immunosuppressed, or have other underlying conditions might be at increased risk. These persons should receive



Written by [R. Cort Kirkwood](#) on January 10, 2022

targeted interventions including chronic disease management, precautions to reduce exposure, additional primary and booster vaccine doses, and effective pharmaceutical therapy as indicated to reduce risk for severe COVID-19 outcomes. Increasing COVID-19 vaccination coverage is a public health priority. ...

All persons with severe COVID-19 outcomes after primary vaccination had at least one of the eight risk factors identified as significant in the model. The frequency of having four or more risk factors increased with disease severity, ranging from 18.8% (386) among persons who had nonsevere outcomes, 56.9% (87) among survivors who had respiratory failure or were admitted to an ICU, to 77.8% (28) among persons who died. Among 36 persons who died, 15 (41.7%) had do-not-resuscitate orders at the time of hospital admission.

The study looked at virus victims with these comorbidities:

- Obesity
- Diabetes
- Chronic heart disease
- Chronic liver disease
- Chronic kidney disease
- Chronic neurologic disease
- Chronic pulmonary disease
- Immunosuppression

Those data do not mean that the vaccines did not help those who survived the breakthrough infection.

New York Data

Other CDC data belie claims that the unvaccinated will suffer a mass die-off this winter, as [The New American reported](#) in debunking President Biden's alarmist message just before Christmas.

[CDC reports](#) that 95 percent of Americans 65 years or older are vaccinated. Yet 75.8 percent of those who die from the disease [are also 65 and older](#).

That means that the majority of Virus deaths cannot be among the unvaccinated.

On the other hand, the agency reports that 86.4 percent of those 18 or older are vaccinated. Yet the data show few deaths in those under 50, and almost none in those under 40.

Because the virus rarely kills the young and healthy — meaning those *who are not* old, fat, and sick — one cannot conclude that the young and healthy who remain unvaccinated are at great risk of dying.



Written by [R. Cort Kirkwood](#) on January 10, 2022

Total Vaccine Doses	At Least One Dose	Fully Vaccinated	Booster Doses***
	Vaccinated People	Count	Percent of US Population
Delivered 639,673,115			
Administered 519,335,422			
Learn more about the distribution of vaccines.			
207.7M People fully vaccinated	Total	246,812,939	74.3%
	Population ≥ 5 Years of Age	246,769,768	79%
	Population ≥ 12 Years of Age	239,273,906	84.4%
	Population ≥ 18 Years of Age	223,033,687	86.4%
75.4M People received a booster dose**	Population ≥ 65 Years of Age	56,147,312	95%




Written by [R. Cort Kirkwood](#) on January 10, 2022

Deaths by Age Group:

☰

Download ▾

Data from 711,359 deaths. Age group was available for 711,272 (99%) deaths.



- Percentage of Deaths
- Percentage of the US Population

Show Percentage of the US Population that is in this demographic category

[Data from](#) New York [have been clear](#) on one point [since the beginning](#) of the “pandemic.” With few exceptions, the virus is opportunistic in that it most viciously attacks those weakened by age or poor health.

Of 49,484 deaths in New York, 48,590 — 97.2 percent — were among people 50 years or older.



Written by [R. Cort Kirkwood](#) on January 10, 2022

And 91 percent of those who died, 45,450, had one or more comorbidities.

Fatalities by Age Group

Age Group	%	Fatality Count
Grand Total	100.0%	49,485
0 to 9	0.0%	21
10 to 19	0.1%	25
20 to 29	0.4%	200
30 to 39	1.3%	640
40 to 49	3.1%	1,538
50 to 59	8.7%	4,308
60 to 69	18.3%	9,037
70 to 79	25.8%	12,779
80 to 89	26.7%	13,196
90 and Over	15.6%	7,732
Unknown	0.0%	9

Top 10 Comorbidities by Age Group (45,450 out of 49,485 (91.8%) total fatalities have at least one comorbidity)

	Hypertension	Diabetes	Hyperlipidemia	Coronary Artery Disease	Dementia	Renal Disease	Copd	Cancer	Atrial Fibrillation	Congestive Heart Failure
Grand Total	26,615	16,671	10,772	6,586	6,414	5,756	5,382	4,752	4,657	3,512
0 to 9	1	1	0	0	0	0	0	3	0	0
10 to 19	1	4	0	0	0	1	1	2	0	0
20 to 29	24	31	6	0	0	9	1	11	0	4
30 to 39	144	147	35	5	0	53	5	20	4	12
40 to 49	529	457	148	46	3	155	41	60	18	32
50 to 59	1,981	1,627	738	295	54	471	282	268	105	157
60 to 69	5,022	3,708	2,043	1,097	282	1,137	927	850	469	478
70 to 79	7,594	5,187	3,247	2,005	1,177	1,659	1,697	1,474	1,191	910
80 to 89	7,503	4,064	3,115	2,225	2,599	1,621	1,635	1,463	1,780	1,191
90 and Over	3,815	1,444	1,439	913	2,298	650	793	601	1,090	727
Unknown	1	1	1	0	1	0	0	0	0	1

One of the key comorbidities is obesity.

A study from Johns Hopkins University and the World Health Organization found that in countries in which 50 percent of adults are obese, Virus fatality rates are 10 times higher than other nations.

“The report, which described a ‘dramatic’ correlation between countries’ COVID-19 death and obesity rates, found that 90% or 2.2 million of the 2.5 million deaths from the pandemic disease so far were in countries with high levels of obesity,” [Reuters reported](#).



Subscribe to the New American

Get exclusive digital access to the most informative, non-partisan truthful news source for patriotic Americans!

Discover a refreshing blend of time-honored values, principles and insightful perspectives within the pages of "The New American" magazine. Delve into a world where tradition is the foundation, and exploration knows no bounds.

From politics and finance to foreign affairs, environment, culture, and technology, we bring you an unparalleled array of topics that matter most.



What's Included?

- 24 Issues Per Year
- Optional Print Edition
- Digital Edition Access
- Exclusive Subscriber Content
- Audio provided for all articles
- Unlimited access to past issues
- Coming Soon! Ad FREE
- 60-Day money back guarantee!
- Cancel anytime.

Subscribe